

PRESIDEULTRA[®] FLEXCONNECT[™]

A VERDESIAN NUE[™] SOLUTION

Seed inoculant for increased nodulation to enhance nitrogen production.

KEEP OUT OF REACH OF CHILDREN

Read all label directions carefully before using this product. Use standard protective clothing and equipment including gloves, safety glasses and a NIOSH or MSHA approved nuisance dust mask (TC-84A or N965) during product handling and storage. See product SDS for additional health and safety information.

PRESIDE ULTRA is designed to be custom applied through an approved application device by a retail location that has been trained in the proper methods of handling and applying inoculant to soybean seed. Please read all directions and specifications carefully before using this product. This product contains live organisms that are sensitive to chemicals and harsh environmental conditions.

This product does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

CONTAINS NON-PLANT FOOD INGREDIENTS

1.0% by wt.: Active Ingredient

Bradyrhizobium japonicum in an aqueous based solution containing a minimum of 2×10^{10} CFU/mL

99.0% by wt.: Inert Ingredients

Density: 8.89 lbs/gal (1.09 g/mL)

Inoculant + *Rhizobium* Extension Solution

DIRECTIONS FOR APPLICATION: FlexConnect[™] Enabled PRESIDE ULTRA FlexConnect Use Instructions

Important: Always read and follow label instructions.

The FlexConnect system is designed for use with FlexConnect Enabled **PRESIDE ULTRA** and provides the proper ratio of components of the final product for application without having to separately mix in a holding tank. The FlexConnect packaging, metering valves and metering caps are color-coded to insure they properly mate and meter for FlexConnect Enabled **PRESIDE ULTRA** to perform.

Remove bladders from case, massage or shake bladders to ensure contents are mixed and evenly distributed in the bag. If bladders are left idle for more than 1 hour, massage or shake the bladders before the next use to insure proper distribution. Place each bladder in a FlexConnect bladder tray so that the cap is exposed in the opening at the bottom of the tray. Ensure that the bladder is arranged so that as product is withdrawn, that the bladder doesn't cover the opening through which the product is dispensed.

Remove shipping caps from the bladders to expose the color-coded metering valve (green or gray) that matches the same color (green or gray) metering cap on the Y-Connector (green to green and gray to gray). Attach the hose from the Y-Connectors to the one-way connector on the line that goes to the pump before connecting the color-coded caps to the bladders. Screw on the metering cap firmly, ensuring that it does not cross-thread with the threads on the bladder.

****IMPORTANT**** Only use bladders that have the same color metering valve as the metering caps on the FlexConnect Y-Connectors. If the colors do not match, contact Verdesian Customer Service before proceeding.

After attaching metering caps, arrange bladders so that liquid in the bladders is in contact with the spout, and the spout is the lowest part of the bladder.

Start the pump to move the product and insure that both component bladders are supplying product through the metering caps to the Y-Connector mixing port and hose to the treater. The flow from each bladder will be different, one will be less than the other to ensure that the components are applied at the proper ratio.

When connected correctly, FlexConnect metering valves and caps allow the individual components to flow in the proper ratio to provide the performance desired. The user should verify that the treater is calibrated to deliver the proper amount of product to the seed.

When bladders are empty, disconnect the line running from the Y-Connector to the in-line one-way connector. It is recommended that the new FlexConnect Y-Connectors supplied be used when connecting a new set of bladders.

Inspect and insure that all lines and hoses are clean between applications and when new bladders are attached.

APPLICATION RATE:

Apply at a rate of 0.75 fl oz per 140,000 seeds.

Product should be used within 14 days of connecting bladders to the FlexConnect application system.

FOR RETAIL APPLICATION ONLY

STORAGE/DISPOSAL RECOMMENDATIONS

- Store in a cool, dry place out of direct sunlight.
- Keep from freezing.
- Store between 40°F and 77°F (4°C and 25°C).
- Open package only when ready for use.
- Use before expiration date.
- Do not allow product or packaging to become wet, or exposed to high humidity.
- Do not store product in an area to be fumigated.
- Small amounts of product which cannot be used according to the label instruction may be disposed of in a landfill.
- **PRESIDE ULTRA CARRIES A ONE (1) SEASON SHELF LIFE.**

WARRANTY

Verdesian Life Sciences U.S., LLC warrants that this Product conforms to the specifications set forth on the label. This Product is reasonably fit for the purpose stated on the label when used in accordance with the label directions and instructions under normal conditions of use.

VERDESIAN NEITHER MAKES, NOR AUTHORIZES ANY AGENT, REPRESENTATIVE OR THIRD PARTY TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO THE CONDITION, QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Neither the warranty of merchantability nor fitness for a particular purpose, expressed or implied, extends to the use of this Product contrary to label instructions or under abnormal conditions or under conditions not foreseeable to the Seller or Verdesian.

Limitation of Remedies. The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories), shall be limited to, at Verdesian's election, one of the following: (1) replacement of the amount of product used; or (2) refund of the purchase price paid for the product; provided that Verdesian's provision of (1) or (2) is conditioned on its first being promptly notified of such loss or damage in writing. Verdesian shall not be liable to the buyer or any other party claiming by, through, or under the buyer for any other losses or damages resulting or relating to this product, including but not limited to any direct, indirect, special, punitive, economic, incidental or consequential damages or loss of profits, whether in contract, tort or otherwise. Verdesian neither assumes, nor authorizes any person to assume for it, any other liability in connection with the sale, storage, use or handling of this product other than expressly set forth herein.

**SUPER-
CONCENTRATED
TRIPLE ACTION
LIQUID INOCULANT
FOR SOYBEAN**

**NOT A
PLANT FOOD
PRODUCT.**

**PRODUCT NO: 2996
ONE (1) 1000 UNIT
BLADDER SET PER CASE
36 CASES PER PALLET**

**POUNDS TREATED PER CASE:
50,000 LBS (22680 KG)**

**NET CONTENTS:
EACH CASE CONTAINS ONE (1)
500 FL OZ (14.8 L) BLADDER OF
BRADYRHIZOBIUM JAPONICUM AND
ONE (1) 250 FL OZ (7.4 L)
BLADDER OF RHIZOBIUM
EXTENSION SOLUTION.**

(INCLUDES APPLICATION KIT)



VERDESIAN

FlexConnect Patent Pending
This product is manufactured by:
Verdesian Life Sciences, U.S., LLC.
1001 Winstead Drive, Suite 480, Cary, NC 27513

Customer Service:

800-350-4789

PresideUltra, FlexConnect, and NUE are trademarks of Verdesian Life Sciences, U.S., LLC